



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

STONE

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
009672

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1947/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,256FT
<u>DRILL DEPTH:</u>	950FT	21N	22W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	19FT				467,588.32	4,045,463.18
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	468					

REMARKS:

LOG ID:
019859

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/02/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,283FT
<u>DRILL DEPTH:</u>	570FT	21N	22W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				467,756.32	4,043,664.17
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:
019896

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	570FT	21N	22W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				469,452.32	4,043,507.15
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

LOG ID:
019878

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/05/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	989FT
<u>DRILL DEPTH:</u>	410FT	21N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				471,142.32	4,043,547.14
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 1.25 MI W OF LONG CREEK BRIDGE



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019429**WELL TYPE

Private Well

DRILL DATE: 1960/11/26TOWNSHIP RANGE SECTIONELEVATION: 1,315FTDRILL DEPTH: 540FT

21N 23W 11

DEPTH TO BED: 20FTUTM X UTM Y
465,162.33 4,043,956.19
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 6 MI N OF BLUE EYES.W.L. (AFTER CASING): 397**LOG ID:****024850**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,243FTDRILL DEPTH: 620FT

21N 23W 17

DEPTH TO BED: 160FTUTM X UTM Y
460,298.34 4,042,871.23
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 270**LOG ID:****028712**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1992/05/20TOWNSHIP RANGE SECTIONELEVATION: 1,217FTDRILL DEPTH: 1,640FT

21N 23W 19

DEPTH TO BED:UTM X UTM Y
457,698.37 4,040,594.24
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Dogwood CanyonS.W.L. (AFTER CASING): 166**LOG ID:****020396**WELL TYPE

Private Well

DRILL DATE: 1961/10/06TOWNSHIP RANGE SECTIONELEVATION: 1,310FTDRILL DEPTH: 400FT

21N 23W 23

DEPTH TO BED: 40FTUTM X UTM Y
465,056.35 4,039,974.17
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020085

WELL TYPE
Private Well

DRILL DATE: 1960/10/12 TOWNSHIP 21N RANGE 23W SECTION 23 ELEVATION: 1,303FT
DRILL DEPTH: 425FT UTM X 464,456.35 UTM Y 4,039,774.18
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 180

LOG ID:
018353

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 21N RANGE 23W SECTION 23 ELEVATION: 1,290FT
DRILL DEPTH: 415FT UTM X 464,456.35 UTM Y 4,040,970.18
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CORNER OF HIGHWAYS 13 AND 86
S.W.L. (AFTER CASING):

LOG ID:
027329

WELL TYPE
Community Public Well

DRILL DATE: 1973// TOWNSHIP 21N RANGE 23W SECTION 26 ELEVATION: 1,290FT
DRILL DEPTH: 1,725FT UTM X 464,215.35 UTM Y 4,039,607.18
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: BLUE EYE, MO.; VERY POOR SAMPLES TO 500', GOOD SAMPLES
S.W.L. (AFTER CASING): 286 BELOW 500'.

LOG ID:
019203

WELL TYPE
Private Well

DRILL DATE: 1960/07/ TOWNSHIP 21N RANGE 23W SECTION 3 ELEVATION: 1,054FT
DRILL DEPTH: 453FT UTM X 462,601.32 UTM Y 4,045,765.22
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI S OF LAMPE, 1 MI E
S.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018707**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/01/25TOWNSHIPRANGESECTIONELEVATION:

958FT

DRILL DEPTH: 384FT

21N

24W

2

DEPTH TO BED: 15FTUTM XUTM Y

455,173.32

4,046,157.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "BIG INDIAN SCHEDULE C"S.W.L. (AFTER CASING): 70**LOG ID:****027804**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,132FT

DRILL DEPTH: 670FT

21N

24W

20

DEPTH TO BED: 10FTUTM XUTM Y

449,428.35

4,040,501.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****028937**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/04/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 532FT

21N

24W

29

DEPTH TO BED:UTM XUTM Y

450,113.36

4,039,749.37

ZONE 15

S.W.L. (BEFORE CASING): 200REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****019144**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/04/TOWNSHIPRANGESECTIONELEVATION:

937FT

DRILL DEPTH: 375FT

22N

22W

17

DEPTH TO BED:UTM XUTM Y

469,555.29

4,052,205.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PUBLIC USE AREA - NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015462**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/12/10TOWNSHIPRANGESECTIONELEVATION:

1,002FT

DRILL DEPTH: 430FT

22N

22W

18

DEPTH TO BED: 100FTUTM XUTM Y

467,355.29

4,051,631.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 225**LOG ID:****017007**WELL TYPE

Community Public Well

DRILL DATE: 1957/11/07TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH: 490FT

22N

22W

19

DEPTH TO BED: 5FTUTM XUTM Y

467,719.29

4,050,653.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 240**LOG ID:****019082**WELL TYPE

Private Well

DRILL DATE: 1960/06/15TOWNSHIPRANGESECTIONELEVATION:

991FT

DRILL DEPTH: 150FT

22N

22W

20

DEPTH TO BED:UTM XUTM Y

469,920.30

4,049,616.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI FROM HWY 86 ON HWY FF, COMBS FERRY RDS.W.L. (AFTER CASING): 80**LOG ID:****027689**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1974/11/19TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH: 475FT

22N

22W

21

DEPTH TO BED:UTM XUTM Y

471,834.30

4,050,003.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: US Army COES.W.L. (AFTER CASING): 32



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019928

WELL TYPE
Private Well

DRILL DATE: 1961/04/20 TOWNSHIP 22N RANGE 22W SECTION 33 ELEVATION: 1,003FT
DRILL DEPTH: 328FT UTM X 470,649.31 UTM Y 4,046,762.16
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 143

LOG ID:
018681

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1959/12/31 TOWNSHIP 22N RANGE 22W SECTION 33 ELEVATION: 933FT
DRILL DEPTH: 383FT UTM X 471,435.31 UTM Y 4,046,119.15
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): 60 FT REMARKS: US Army Corps of Engineers - formerly listed as US Government
S.W.L. (AFTER CASING): 80 FT Schedule D

LOG ID:
019852

WELL TYPE
Private Well

DRILL DATE: 1961/04/18 TOWNSHIP 22N RANGE 22W SECTION 33 ELEVATION: 948FT
DRILL DEPTH: 184FT UTM X 471,049.31 UTM Y 4,046,564.15
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 31

LOG ID:
027693

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 22N RANGE 22W SECTION 4 ELEVATION: 960FT
DRILL DEPTH: 500FT UTM X 471,222.28 UTM Y 4,054,382.20
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 75 FT REMARKS: DEEPENED 380-500 (#28011) 1954; INDIAN POINT - TABLE ROCK
S.W.L. (AFTER CASING): 59 FT LAKE



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025082**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1967/07/17TOWNSHIP RANGE SECTION

22N

22W

4

ELEVATION: 963FTDRILL DEPTH: 385FTUTM XUTM YDEPTH TO BED: 25FT

470,822.28

4,054,382.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: also in name of Jess StormsS.W.L. (AFTER CASING):**LOG ID:****028011**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

22N

22W

4

ELEVATION: 960FTDRILL DEPTH: 500FTUTM XUTM YDEPTH TO BED:

471,222.28

4,054,382.20

ZONE 15

S.W.L. (BEFORE CASING): 75 FTREMARKS: DEEPENED 380-500 (see log 27693) 1954; INDIAN POINT - TABLE
ROCK LAKES.W.L. (AFTER CASING): 59 FT**LOG ID:****020807**WELL TYPE

Private Well

DRILL DATE: 1962/03/09TOWNSHIP RANGE SECTION

22N

22W

5

ELEVATION: 938FTDRILL DEPTH: 315FTUTM XUTM YDEPTH TO BED:

469,719.28

4,054,679.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022601**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/05/TOWNSHIP RANGE SECTION

22N

22W

5

ELEVATION: 1,038FTDRILL DEPTH: 535FTUTM XUTM YDEPTH TO BED: 23FT

469,619.28

4,054,775.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Cabana City MotelS.W.L. (AFTER CASING): 105



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019925

WELL TYPE
Private Well

DRILL DATE: 1961/04/13 TOWNSHIP 22N RANGE 22W SECTION 5 ELEVATION: 989FT
DRILL DEPTH: 325FT UTM X 469,619.28 UTM Y 4,054,583.21
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1/8 MI E OF INDIAN PT RD, 1 MI N OF SHORELINE
S.W.L. (AFTER CASING): 151

LOG ID:
019898

WELL TYPE
Private Well

DRILL DATE: 1961/02/18 TOWNSHIP 22N RANGE 22W SECTION 5 ELEVATION: 957FT
DRILL DEPTH: 345FT UTM X 470,019.28 UTM Y 4,055,159.21
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: "CORRELATIONS QUESTIONABLE"
S.W.L. (AFTER CASING): 191

LOG ID:
027436

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 22N RANGE 22W SECTION 5 ELEVATION: 1,085FT
DRILL DEPTH: 455FT UTM X 469,219.28 UTM Y 4,054,775.21
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 180

LOG ID:
020515

WELL TYPE
Private Well

DRILL DATE: 1961/09/09 TOWNSHIP 22N RANGE 22W SECTION 6 ELEVATION: 979FT
DRILL DEPTH: 269FT UTM X 468,840.28 UTM Y 4,054,230.21
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 89

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019900**WELL TYPE

Private Well

DRILL DATE: 1961/02/15TOWNSHIPRANGESECTIONELEVATION:

1,001FT

DRILL DEPTH: 325FT

22N

22W

6

UTM XUTM YDEPTH TO BED:

468,840.27

4,054,996.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI S OF HWY 76, 2.5 MI S OF MARVEL CAVE - Indian PointS.W.L. (AFTER CASING): 83**LOG ID:****019854**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/06/TOWNSHIPRANGESECTIONELEVATION:

958FT

DRILL DEPTH: 417FT

22N

22W

8

UTM XUTM YDEPTH TO BED:

469,683.28

4,053,102.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: boat dock at Indian Point Marina - unsure of PDWP # listed above.S.W.L. (AFTER CASING): 60**LOG ID:****019816**WELL TYPE

Private Well

DRILL DATE: 1961/02/13TOWNSHIPRANGESECTIONELEVATION:

963FT

DRILL DEPTH: 225FT

22N

22W

8

UTM XUTM YDEPTH TO BED:

469,183.28

4,053,604.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: INDIAN POINTS.W.L. (AFTER CASING): 87**LOG ID:****019715**WELL TYPE

Private Well

DRILL DATE: 1961/03/21TOWNSHIPRANGESECTIONELEVATION:

1,029FT

DRILL DEPTH: 328FT

22N

22W

8

UTM XUTM YDEPTH TO BED: 5FT

469,383.28

4,053,202.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019892**WELL TYPE

Private Well

DRILL DATE: 1961/05/05TOWNSHIPRANGESECTIONELEVATION:

991FT

DRILL DEPTH: 287FT

22N

22W

8

UTM XUTM YDEPTH TO BED:

469,183.28

4,053,402.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: INDIAN POINTS.W.L. (AFTER CASING): 68**LOG ID:****020236**WELL TYPE

Private Well

DRILL DATE: 1961/06/13TOWNSHIPRANGESECTIONELEVATION:

981FT

DRILL DEPTH: 328FT

22N

22W

8

UTM XUTM YDEPTH TO BED: 10FT

468,983.28

4,053,604.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 87**LOG ID:****018375**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/09/TOWNSHIPRANGESECTIONELEVATION:

949FT

DRILL DEPTH: 464FT

22N

22W

8

UTM XUTM YDEPTH TO BED: 20FT

468,945.28

4,053,385.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: recreational area - US Army COE - formerly in name of William H. BurkeS.W.L. (AFTER CASING): 85**LOG ID:****020653**WELL TYPE

Private Well

DRILL DATE: 1961/11/26TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 205FT

22N

22W

8

UTM XUTM YDEPTH TO BED: 5FT

469,383.28

4,053,002.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI S OF HWY 76 ON INDIAN CREEK RDS.W.L. (AFTER CASING): 43



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019818

WELL TYPE
Private Well

DRILL DATE: 1961/04/04

TOWNSHIP 22N RANGE 22W SECTION 8

ELEVATION: 997FT

DRILL DEPTH: 205FT

UTM X 469,183.28 UTM Y 4,052,802.20
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: E SIDE ON S END OF INDIAN POINT

S.W.L. (AFTER CASING):

LOG ID:
025297

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1967/08/28

TOWNSHIP 22N RANGE 22W SECTION 8

ELEVATION: 970FT

DRILL DEPTH: 460FT

UTM X 468,910.28 UTM Y 4,053,715.21
ZONE 15

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING): FT

REMARKS: US Army COE - new area at amphitheater

S.W.L. (AFTER CASING): 86

LOG ID:
025190

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1967/08/28

TOWNSHIP 22N RANGE 23W SECTION 10

ELEVATION: 952FT

DRILL DEPTH: 448FT

UTM X 462,867.27 UTM Y 4,053,943.26
ZONE 15

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING): 62

REMARKS: US Army COE - also known as Hwy 13 Recreational Area

S.W.L. (AFTER CASING): FT

LOG ID:
014731

WELL TYPE
Private Well

DRILL DATE: 1956/01/

TOWNSHIP 22N RANGE 23W SECTION 11

ELEVATION: 1,094FT

DRILL DEPTH: 530FT

UTM X 464,610.27 UTM Y 4,053,529.24
ZONE 15

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

REMARKS: SAMPLES 110-145' MISSING.

S.W.L. (AFTER CASING): 310



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007868**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1942// TOWNSHIP 22N RANGE 23W SECTION 13 ELEVATION: 1,210FT
DRILL DEPTH: 530FT UTM X 465,766.29 UTM Y 4,051,475.22
DEPTH TO BED: 290FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL DEEPENED 290-530.
S.W.L. (AFTER CASING):

LOG ID:**020795**WELL TYPE

Private Well

DRILL DATE: 1961/12/19 TOWNSHIP 22N RANGE 23W SECTION 15 ELEVATION: 915FT
DRILL DEPTH: 300FT UTM X 463,281.28 UTM Y 4,051,664.25
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING): 146

LOG ID:**019263**WELL TYPE

Private Well

DRILL DATE: 1960/07/15 TOWNSHIP 22N RANGE 23W SECTION 15 ELEVATION: 1,011FT
DRILL DEPTH: 350FT UTM X 463,781.28 UTM Y 4,052,174.24
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF HWY 13, 0.5 MI S OF KIMBERLY BRIDGE
S.W.L. (AFTER CASING): 70

LOG ID:**028587**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1982/04/05 TOWNSHIP 22N RANGE 23W SECTION 15 ELEVATION:
DRILL DEPTH: 1,940FT UTM X 462,681.28 UTM Y 4,052,276.25
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 300 FT REMARKS:
S.W.L. (AFTER CASING): 150 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027006

WELL TYPE
Community Public Well

DRILL DATE: 1971/11/01 TOWNSHIP 22N RANGE 23W SECTION 17 ELEVATION: 982FT
DRILL DEPTH: 475FT UTM X 459,755.28 UTM Y 4,051,352.27
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 150 REMARKS: mobile home park owned by Bob Francis and located at Joe Bald Area
S.W.L. (AFTER CASING): FT

LOG ID:
019011

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1960/06/ TOWNSHIP 22N RANGE 23W SECTION 18 ELEVATION: 959FT
DRILL DEPTH: 350FT UTM X 457,964.28 UTM Y 4,051,279.29
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 42 FT REMARKS: AT MOUTH OF JAMES RIVER ON TABLE ROCK LAKE
S.W.L. (AFTER CASING): 42 FT

LOG ID:
018289

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 22N RANGE 23W SECTION 18 ELEVATION: 998FT
DRILL DEPTH: 460FT UTM X 459,164.28 UTM Y 4,051,279.28
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Jess Timmons - INDIAN HILLS, REEDS SPRING,
S.W.L. (AFTER CASING): MO.

LOG ID:
024384

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1966/08/ TOWNSHIP 22N RANGE 23W SECTION 18 ELEVATION: 922FT
DRILL DEPTH: 480FT UTM X 458,464.27 UTM Y 4,051,787.29
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027020**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1972/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	995FT
<u>DRILL DEPTH:</u>	650FT	22N	23W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				457,964.28	4,051,481.29
<u>S.W.L. (BEFORE CASING):</u>	12				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		FT			<u>REMARKS:</u>	

LOG ID:**020510**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/09/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	967FT
<u>DRILL DEPTH:</u>	290FT	22N	23W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					457,722.29	4,049,874.28
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	86				<u>REMARKS:</u>	

LOG ID:**028000**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,250FT
<u>DRILL DEPTH:</u>	600FT	22N	23W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				464,561.26	4,055,005.25
<u>S.W.L. (BEFORE CASING):</u>	115	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	130	FT			<u>REMARKS:</u> VERY GOOD SAMPLES; OWNED BY RICHARD MAIER	

LOG ID:**019974**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1961/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	948FT
<u>DRILL DEPTH:</u>	350FT	22N	23W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					460,647.29	4,050,046.26
<u>S.W.L. (BEFORE CASING):</u>	40	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	38	FT			<u>REMARKS:</u> MILL CREEK PUBLIC USE AREA	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027049**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1971/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	926FT
<u>DRILL DEPTH:</u>	550FT	22N	23W	20		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	23				460,410.29	4,049,677.26
<u>S.W.L. (AFTER CASING):</u>	FT				ZONE 15	

REMARKS: US Army COE - MILL CREEK RECREATION AREA

LOG ID:**018170**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1959/04/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	988FT
<u>DRILL DEPTH:</u>	700FT	22N	23W	23		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				464,533.29	4,049,712.23
<u>S.W.L. (AFTER CASING):</u>	160				ZONE 15	

REMARKS: formerly in name of Branson Realty

LOG ID:**019202**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/06/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	945FT
<u>DRILL DEPTH:</u>	390FT	22N	23W	23		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				465,133.30	4,049,512.22
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	

REMARKS: 8 MI S OF JCT OF HWYS 13 & DD @ WHITELEATHER STORE ON DD

LOG ID:**027971**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1975/12/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,201FT
<u>DRILL DEPTH:</u>	720FT	22N	23W	24		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				465,894.30	4,049,614.21
<u>S.W.L. (AFTER CASING):</u>	305				ZONE 15	

REMARKS: HWY 76 W OF BRANSON, HWY 13 S TO HWY DD, THEN 8.5 MI W



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019194**WELL TYPE

Private Well

DRILL DATE: 1960/08/03TOWNSHIP RANGE SECTION

22N 23W 26

ELEVATION:DRILL DEPTH: 570FTUTM X UTM Y464,093.30 4,048,299.22
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI S OF LAMPE, 2 MI ES.W.L. (AFTER CASING): 150**LOG ID:****026250**WELL TYPE

Private Well

DRILL DATE: 1969/05/29TOWNSHIP RANGE SECTION

22N 23W 29

ELEVATION: 1,007FTDRILL DEPTH: 420FTUTM X UTM Y459,307.30 4,049,037.27
ZONE 15DEPTH TO BED: 25FTS.W.L. (BEFORE CASING): FTREMARKS: 8 MI SW OF KIMBERLING CITYS.W.L. (AFTER CASING): 140**LOG ID:****018379**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/09/TOWNSHIP RANGE SECTION

22N 23W 3

ELEVATION: 941FTDRILL DEPTH: 460FTUTM X UTM Y463,869.26 4,054,766.26
ZONE 15DEPTH TO BED: 5FTS.W.L. (BEFORE CASING): 90 FTREMARKS: 8 miles S of Reeds Spring on Hwy 13; supposedly owned by the City of Reeds Spring?? and used as a recreational areaS.W.L. (AFTER CASING): 140 FT**LOG ID:****021328**WELL TYPE

Private Well

DRILL DATE: 1962/10/24TOWNSHIP RANGE SECTION

22N 23W 3

ELEVATION: 994FTDRILL DEPTH: 495FTUTM X UTM Y463,069.26 4,054,566.26
ZONE 15DEPTH TO BED: 5FTS.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI N OF KIMBERLING BRIDGE, 150 YDS E OF HWY 13S.W.L. (AFTER CASING): 156



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019886**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/04/24TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 246FT

22N

23W

3

DEPTH TO BED:UTM XUTM Y

462,669.26

4,054,766.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI N OF KIMBERLING BRIDGE, E SIDE HWY 13S.W.L. (AFTER CASING): 42**LOG ID:****025126**WELL TYPE

Community Public Well

DRILL DATE: 1967/08/04TOWNSHIPRANGESECTIONELEVATION:

1,024FT

DRILL DEPTH: 445FT

22N

23W

3

DEPTH TO BED: 45FTUTM XUTM Y

463,306.26

4,055,616.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 210**LOG ID:****023708**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965/09/05TOWNSHIPRANGESECTIONELEVATION:

953FT

DRILL DEPTH: 500FT

22N

23W

3

DEPTH TO BED:UTM XUTM Y

463,193.26

4,054,318.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: US Army COE boat dockS.W.L. (AFTER CASING): 55**LOG ID:****020237**WELL TYPE

Private Well

DRILL DATE: 1961/05/28TOWNSHIPRANGESECTIONELEVATION:

1,003FT

DRILL DEPTH: 492FT

22N

23W

31

DEPTH TO BED:UTM XUTM Y

457,645.31

4,046,871.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 167



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019143**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	964FT
<u>DRILL DEPTH:</u>	375FT	22N	23W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					465,042.31	4,047,109.21
<u>S.W.L. (BEFORE CASING):</u>	74	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	78	FT				

REMARKS: 3 MI FROM HWY 86 ON COW CREEK

LOG ID:**020550**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1961/09/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,098FT
<u>DRILL DEPTH:</u>	514FT	22N	23W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					461,658.25	4,055,195.28
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	93					

REMARKS: 1 MI N OF KIMBERLING BRIDGE, 0.25 MI W OF HWY 13 - plugged & abandoned

LOG ID:**020551**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1961/06/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,042FT
<u>DRILL DEPTH:</u>	490FT	22N	23W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					461,858.25	4,055,595.28
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	87					

REMARKS: JIM WOLFE, PLUGGED AND ABANDONED

LOG ID:**019895**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,017FT
<u>DRILL DEPTH:</u>	390FT	22N	23W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					462,058.25	4,055,395.27
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	183					

REMARKS: 0.75 N OF KIMBERLING BRIDGE - PLUGGED AND ABANDONED



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019887**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,090FT

DRILL DEPTH:

490FT

22N

23W

4

UTM XUTM YDEPTH TO BED:

462,458.26

4,054,593.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

112

LOG ID:**019899**WELL TYPE

Private Well

DRILL DATE:

1961/02/10

TOWNSHIPRANGESECTIONELEVATION:

987FT

DRILL DEPTH:

285FT

22N

23W

4

UTM XUTM YDEPTH TO BED:

10FT

462,258.26

4,055,195.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI N OF KIMBERLING BRIDGE, W SIDE HWY 13S.W.L. (AFTER CASING):

64

LOG ID:**028490**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1981/02/17

TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH:

1,395FT

22N

23W

5

UTM XUTM YDEPTH TO BED:

459,859.25

4,055,267.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: many missing samples - poor Mississippian SectionS.W.L. (AFTER CASING):**LOG ID:****022442**WELL TYPE

Community Public Well

DRILL DATE:

1964/03/27

TOWNSHIPRANGESECTIONELEVATION:

1,008FT

DRILL DEPTH:

620FT

22N

23W

9

UTM XUTM YDEPTH TO BED:

15FT

462,217.26

4,053,998.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ KIMBERLING CITYS.W.L. (AFTER CASING):

192



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021651

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	974FT
		22N	23W	9		
<u>DRILL DEPTH:</u>	490FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					462,217.27	4,053,602.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	91	FT	<u>REMARKS:</u> AT KIMBERLING BRIDGE - NO SAMPLES 325-490'.			
<u>S.W.L. (AFTER CASING):</u>	91	FT				

LOG ID:
017810

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/07/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	955FT
		22N	23W	9		
<u>DRILL DEPTH:</u>	239FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				462,217.27	4,053,602.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> @ N END OF NEW KIMBERLING CITY BRIDGE - HWY 13			
<u>S.W.L. (AFTER CASING):</u>	160					

LOG ID:
020797

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,016FT
		22N	23W	9		
<u>DRILL DEPTH:</u>	470FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				462,017.26	4,053,998.27
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	46	FT	<u>REMARKS:</u> NW OF KIMBERLING BRIDGE - POOR SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	92	FT				

LOG ID:
019823

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/03/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	955FT
		22N	23W	9		
<u>DRILL DEPTH:</u>	245FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				462,017.26	4,053,998.27
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 1/8 MI FROM HWY 13, 3 1/8 MI N OF KIMBERLING CITY BRIDGE			
<u>S.W.L. (AFTER CASING):</u>	71					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019646**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,005FT
<u>DRILL DEPTH:</u>	495FT	22N	24W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				457,611.25	4,053,926.30
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ Twin Rivers Addition ?? - do NOT mistake this well for Twin Rivers			
<u>S.W.L. (AFTER CASING):</u>			Addition #5358075 which is located in Barry County			

LOG ID:**022813**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1963//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,096FT
<u>DRILL DEPTH:</u>	360FT	22N	24W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					449,155.26	4,052,427.42
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPEMED (log #21568) 0-200', (log #22813) 200-360'			
<u>S.W.L. (AFTER CASING):</u>	46		(1964).			

LOG ID:**021568**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1963//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,096FT
<u>DRILL DEPTH:</u>	360FT	22N	24W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					449,055.26	4,052,427.42
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPEMED (log #21568) 0-200', (log #22813) 200-360'			
<u>S.W.L. (AFTER CASING):</u>	46		(1964).			

LOG ID:**026853**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1971/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,160FT
<u>DRILL DEPTH:</u>	585FT	22N	24W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					448,755.26	4,051,813.43
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	326	<u>REMARKS:</u>	AREA #2, WELL #1			
<u>S.W.L. (AFTER CASING):</u>	FT					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**029035**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2004/02/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,140FT
<u>DRILL DEPTH:</u>	1,010FT	22N	24W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				448,655.26	4,051,915.43
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	300					

REMARKS:**LOG ID:****028979**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2002/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,060FT
<u>DRILL DEPTH:</u>	700FT	22N	24W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					454,683.24	4,055,384.34
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:**LOG ID:****018854**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	946FT
<u>DRILL DEPTH:</u>	300FT	22N	24W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					450,703.28	4,050,167.39
<u>S.W.L. (BEFORE CASING):</u>	55	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	55	FT				

REMARKS: formerly in name of Glenn Hall and Harry Wheeler - boat dock 6 miles
SE of Shell Knob**LOG ID:****019107**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/07/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,035FT
<u>DRILL DEPTH:</u>	350FT	22N	24W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				450,113.27	4,050,965.40
<u>S.W.L. (BEFORE CASING):</u>	130				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		FT				

REMARKS: 0.25 MI W OF CAMPBELL POINT BOAT DOCK - Glenn Hall



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025278**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1967/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	948FT
<u>DRILL DEPTH:</u>	355FT	22N	24W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				450,619.28	4,050,413.39
<u>S.W.L. (BEFORE CASING):</u>	59	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	59	FT				
<u>REMARKS:</u>	US Army COE					

LOG ID:**022613**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	945FT
<u>DRILL DEPTH:</u>	400FT	22N	24W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				452,026.28	4,050,401.37
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	"CAN'T LOCATE"					

LOG ID:**027644**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1971/01/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,074FT
<u>DRILL DEPTH:</u>	265FT	22N	24W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	2FT				452,273.29	4,049,294.36
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	"ATLAS POWDER OOLITE" - 120-135					

LOG ID:**026904**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1971/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,050FT
<u>DRILL DEPTH:</u>	405FT	22N	24W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	385FT				448,262.29	4,048,411.43
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	150					
<u>REMARKS:</u>	formerly in name of Lakeside Heights Subdivision - OLD WELL DEEPENED 385-405					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019657**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH:

400FT

22N

24W

31

DEPTH TO BED:UTM XUTM Y

449,203.29

4,048,013.41

ZONE 15

S.W.L. (BEFORE CASING):

48

FT

REMARKS:

1 MI E OF VIOLA, MR. RENFROW

S.W.L. (AFTER CASING):

48

FT

LOG ID:**018936**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1959/12/

TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH:

325FT

22N

24W

35

DEPTH TO BED:

25FT

UTM XUTM Y

455,474.31

4,046,900.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:US Army COE - Baxter Recreation Area, Lampe; 5 miles W of Lampe
on Old Hwy 86 - Julius AlstonS.W.L. (AFTER CASING):

70

LOG ID:**022841**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

924FT

DRILL DEPTH:

442FT

22N

24W

7

DEPTH TO BED:UTM XUTM Y

448,992.25

4,053,030.43

ZONE 15

S.W.L. (BEFORE CASING):

150

FT

REMARKS:

4 MI E OF SHELL KNOB - picnic area

S.W.L. (AFTER CASING):

175

FT

LOG ID:**028066**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,302FT

DRILL DEPTH:

700FT

23N

22W

20

DEPTH TO BED:

30FT

UTM XUTM Y

469,518.26

4,059,027.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:formerly in name of Mountain Oak Lodge - "TEN O'CLOCK FAULT
ZONE" 460-475.S.W.L. (AFTER CASING):

430



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002117**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,310FT

DRILL DEPTH:

420FT

23N

22W

21

UTM XUTM YDEPTH TO BED:

160FT

471,144.27

4,058,970.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES 0-160'; MANY SKIPS BELOW; DO NOT USE!!S.W.L. (AFTER CASING):**LOG ID:****019148**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1960/07/

TOWNSHIPRANGESECTIONELEVATION:

1,342FT

DRILL DEPTH:

1,025FT

23N

22W

29

UTM XUTM YDEPTH TO BED:

30FT

469,717.27

4,057,993.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WELL #1S.W.L. (AFTER CASING):**LOG ID:****027022**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1972//

TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH:

1,450FT

23N

22W

29

UTM XUTM YDEPTH TO BED:

10FT

469,723.26

4,058,603.23

ZONE 15

S.W.L. (BEFORE CASING): 396REMARKS: IN LOWER PARKING LOTS.W.L. (AFTER CASING): FT**LOG ID:****028115**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1977//

TOWNSHIPRANGESECTIONELEVATION:

1,298FT

DRILL DEPTH:

1,705FT

23N

22W

29

UTM XUTM YDEPTH TO BED:

15FT

469,719.27

4,057,778.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Lot 6 - no samples 525-900 ft; caving through 365 ft; 723 ft of 8 inch linerS.W.L. (AFTER CASING): 425



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027440**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,102FT

DRILL DEPTH:

910FT

23N

22W

29

DEPTH TO BED:

10FT

UTM XUTM Y

470,191.27

4,058,213.22

ZONE 15

S.W.L. (BEFORE CASING):

146

FT

REMARKS:

behind Lot G

S.W.L. (AFTER CASING):

196

FT

LOG ID:**028658**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,305FT

DRILL DEPTH:

945FT

23N

22W

29

DEPTH TO BED:

80FT

UTM XUTM Y

470,576.27

4,058,567.22

ZONE 15

S.W.L. (BEFORE CASING):

380

FT

REMARKS:S.W.L. (AFTER CASING):

440

FT

LOG ID:**029021**WELL TYPE

Noncommunity Public Well

DRILL DATE:

2004/03/24

TOWNSHIPRANGESECTIONELEVATION:

1,060FT

DRILL DEPTH:

720FT

23N

22W

31

DEPTH TO BED:UTM XUTM Y

468,744.27

4,056,209.22

ZONE 15

S.W.L. (BEFORE CASING):

150

FT

REMARKS:

Local name Well #3. No pump test data submitted.

S.W.L. (AFTER CASING):

150

FT

LOG ID:**020802**WELL TYPE

Private Well

DRILL DATE:

1962/03/19

TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH:

575FT

23N

22W

32

DEPTH TO BED:

45FT

UTM XUTM Y

469,473.27

4,056,787.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.5 MI S OF HWY 76 ON INDIAN POINT RD; POOR SAMPLES

S.W.L. (AFTER CASING):

294



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020805**WELL TYPE

Private Well

DRILL DATE: 1961/11/24TOWNSHIP RANGE SECTIONELEVATION: 1,035FTDRILL DEPTH: 350FT

23N 22W 32

DEPTH TO BED:UTM X UTM Y
469,673.27 4,055,557.21
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI S OF HWY 76 ON INDIAN CREEK RD.; POOR SAMPLESS.W.L. (AFTER CASING): 146**LOG ID:****024530**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1966/08/TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 960FT

23N 22W 32

DEPTH TO BED: 100FTUTM X UTM Y
469,573.27 4,056,070.22
ZONE 15S.W.L. (BEFORE CASING):REMARKS: JOHN HOMYANSKI; "POOR SAMPLES"S.W.L. (AFTER CASING):**LOG ID:****028800**WELL TYPE

Community Public Well

DRILL DATE: 1996/06/10TOWNSHIP RANGE SECTIONELEVATION: 1,198FTDRILL DEPTH: 952FT

23N 22W 33

DEPTH TO BED:UTM X UTM Y
471,376.28 4,056,235.20
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 421**LOG ID:****004174**WELL TYPE

Private Well

DRILL DATE: 1937/03/10TOWNSHIP RANGE SECTIONELEVATION: 1,421FTDRILL DEPTH: 605FT

23N 23W 12

DEPTH TO BED: 50FTUTM X UTM Y
466,665.23 4,062,590.27
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 345



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019880**WELL TYPE

Private Well

DRILL DATE: 1961/03/18TOWNSHIPRANGESECTIONELEVATION:

1,416FT

DRILL DEPTH: 415FT

23N

23W

2

UTM XUTM YDEPTH TO BED: 65FT

465,726.21

4,065,012.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI SW OF REEDS SPRING, 250' OFF HWY 13S.W.L. (AFTER CASING): 303**LOG ID:****028896**WELL TYPE

Community Public Well

DRILL DATE: 2002/01/TOWNSHIPRANGESECTIONELEVATION:

1,420FT

DRILL DEPTH: 1,470FT

23N

23W

2

UTM XUTM YDEPTH TO BED:

465,426.21

4,064,914.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 400**LOG ID:****012272**WELL TYPE

Private Well

DRILL DATE: 1952/10/02TOWNSHIPRANGESECTIONELEVATION:

1,384FT

DRILL DEPTH: 430FT

23N

23W

2

UTM XUTM YDEPTH TO BED: 70FT

465,926.21

4,064,816.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI S OF REEDS SPRINGS.W.L. (AFTER CASING): 270**LOG ID:****013332**WELL TYPE

Private Well

DRILL DATE: 1955//TOWNSHIPRANGESECTIONELEVATION:

1,332FT

DRILL DEPTH: 600FT

23N

23W

23

UTM XUTM YDEPTH TO BED: 500FT

464,986.24

4,058,889.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES 0-500'.S.W.L. (AFTER CASING): 320



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014228

WELL TYPE
Private Well

DRILL DATE: 1955/09/ TOWNSHIP 23N RANGE 23W SECTION 27 ELEVATION: 1,324FT
DRILL DEPTH: 615FT UTM X 462,742.24 UTM Y 4,057,934.28
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 405

LOG ID:
014229

WELL TYPE
Private Well

DRILL DATE: 1955/09/ TOWNSHIP 23N RANGE 23W SECTION 27 ELEVATION: 1,334FT
DRILL DEPTH: 610FT UTM X 462,742.24 UTM Y 4,057,532.28
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 380

LOG ID:
028015

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 23N RANGE 23W SECTION 29 ELEVATION: 1,280FT
DRILL DEPTH: 880FT UTM X 460,145.23 UTM Y 4,057,646.30
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY OO N OF KIMBERLING CITY; AUNTS ("ANSE") CREEK
S.W.L. (AFTER CASING): 380 SUBDIVISION

LOG ID:
021649

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 23N RANGE 23W SECTION 30 ELEVATION: 950FT
DRILL DEPTH: 350FT UTM X 458,774.22 UTM Y 4,058,482.31
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: US Army COE - AUNTS CREEK RECREATION AREA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018680**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	959FT
<u>DRILL DEPTH:</u>	380FT	23N	23W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				458,743.22	4,058,508.31
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80					
<u>REMARKS:</u>	14 MI SW OF REEDS SPRING					

LOG ID:**027769**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	955FT
<u>DRILL DEPTH:</u>		23N	23W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				458,643.22	4,058,207.31
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	160					
<u>REMARKS:</u>	NO SAMPLES LOGGED					

LOG ID:**026337**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1969/07/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	980FT
<u>DRILL DEPTH:</u>	505FT	23N	23W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					458,573.24	4,056,337.31
<u>S.W.L. (BEFORE CASING):</u>	120	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	140	FT				
<u>REMARKS:</u>	also in name of Al Bartlett - 4 MI W OF JUCT OF HWYS 13 & 00; aka. Cedar Ridge Subdivision					

LOG ID:**029003**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2003/09/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	980FT
<u>DRILL DEPTH:</u>	895FT	23N	23W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				458,504.26	4,053,418.29
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	130					
<u>REMARKS:</u>	aka Cedar Ridge Estates Subdivision. No pump test data submitted.					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026835**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1971/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,324FT
<u>DRILL DEPTH:</u>	1,325FT	23N	23W	33		
<u>DEPTH TO BED:</u>	50FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	510	FT			462,594.25	4,056,849.28
<u>S.W.L. (AFTER CASING):</u>	505	FT			ZONE 15	

REMARKS: formerly in name of Kimberling Hills Water District

LOG ID:**014736**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/10/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	455FT	23N	23W	34		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			462,905.25	4,057,135.27
<u>S.W.L. (AFTER CASING):</u>	280				ZONE 15	

REMARKS: 1/8 MI E OF HWY 13, 8 MI S OF REEDS SPRING

LOG ID:**019891**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	998FT
<u>DRILL DEPTH:</u>	287FT	23N	23W	36		
<u>DEPTH TO BED:</u>	5FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			466,701.26	4,055,845.24
<u>S.W.L. (AFTER CASING):</u>	88				ZONE 15	

REMARKS: 2 MI S OF HWY 76, 0.5 MI E OF HWY DD OFF HWY 13

LOG ID:**028424**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1980/02/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	960FT
<u>DRILL DEPTH:</u>	455FT	23N	24W	11		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					455,933.17	4,063,264.35
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013364**WELL TYPE

Private Well

DRILL DATE: 1954/11/15TOWNSHIP RANGE SECTION

23N 24W 13

ELEVATION:DRILL DEPTH: 550FTUTM X UTM YDEPTH TO BED: 25FT457,256.19 4,061,574.34
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 8 MI SW OF REEDS SPRINGS.W.L. (AFTER CASING): 415**LOG ID:****020835**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962//TOWNSHIP RANGE SECTION

23N 24W 2

ELEVATION: 974FTDRILL DEPTH: 350FTUTM X UTM YDEPTH TO BED:455,978.15 4,065,113.36
ZONE 15S.W.L. (BEFORE CASING): 92 FTREMARKS: FLOYD WHITWORTH, OWNER OF "BRIDGEPORT RESORT" -
laundryS.W.L. (AFTER CASING): 82 FT**LOG ID:****017813**WELL TYPE

Private Well

DRILL DATE: 1958/10/14TOWNSHIP RANGE SECTION

23N 24W 2

ELEVATION: 959FTDRILL DEPTH: 215FTUTM X UTM YDEPTH TO BED: 20FT455,187.15 4,064,434.36
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI SE OF CAPE FAIRS.W.L. (AFTER CASING): 140**LOG ID:****019146**WELL TYPE

Private Well

DRILL DATE: 1960/06/30TOWNSHIP RANGE SECTION

23N 24W 2

ELEVATION: 1,040FTDRILL DEPTH: 315FTUTM X UTM YDEPTH TO BED: 10FT454,987.15 4,064,914.37
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI E OF CAPE FAIR; POOR SAMPLESS.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015767

WELL TYPE
Private Well

DRILL DATE: 1957/01/02 TOWNSHIP 23N RANGE 24W SECTION 2 ELEVATION: 1,105FT
DRILL DEPTH: 365FT UTM X 455,187.16 UTM Y 4,064,248.36
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 225

LOG ID:
015774

WELL TYPE
Private Well

DRILL DATE: 1956/10/09 TOWNSHIP 23N RANGE 24W SECTION 2 ELEVATION: 970FT
DRILL DEPTH: 180FT UTM X 455,787.16 UTM Y 4,064,248.36
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 85

LOG ID:
016327

WELL TYPE
Private Well

DRILL DATE: 1957/03/ TOWNSHIP 23N RANGE 24W SECTION 2 ELEVATION: 974FT
DRILL DEPTH: 155FT UTM X 455,187.15 UTM Y 4,064,240.36
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 32

LOG ID:
005150

WELL TYPE
Private Well

DRILL DATE: 1938/09/ TOWNSHIP 23N RANGE 24W SECTION 2 ELEVATION:
DRILL DEPTH: 185FT UTM X 455,187.16 UTM Y 4,064,054.36
DEPTH TO BED: 150FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 28 GPM - SWL 50'
S.W.L. (AFTER CASING): 39



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019851**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/04/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	930FT
<u>DRILL DEPTH:</u>	140FT	23N	24W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				453,314.19	4,060,677.38
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 0.75 MI DUE S OF CAPE FAIR BOAD DOCK OFF HWY 76				
<u>S.W.L. (AFTER CASING):</u>	42					

LOG ID:**019850**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/04/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	973FT
<u>DRILL DEPTH:</u>	165FT	23N	24W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				453,216.19	4,060,687.38
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	27					

LOG ID:**024915**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/03/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,283FT
<u>DRILL DEPTH:</u>	535FT	23N	24W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				454,214.19	4,060,079.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**019192**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1930/06/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	942FT
<u>DRILL DEPTH:</u>	216FT	23N	24W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				455,563.22	4,057,616.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> Harry Sherman - 1 MI S OF END OF HWY Y				
<u>S.W.L. (AFTER CASING):</u>	35					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019189**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	952FT
<u>DRILL DEPTH:</u>	225FT	23N	24W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				455,371.21	4,057,655.34
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50					

REMARKS:**LOG ID:****015007**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/09/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	982FT
<u>DRILL DEPTH:</u>	315FT	23N	24W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	280FT				454,963.22	4,057,616.34
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	155					

REMARKS: LOT 22 - SKYLINE ADDITION TO HIDEWAY; NO SAMPLES 0-280'.**LOG ID:****010493**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/08/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	986FT
<u>DRILL DEPTH:</u>	274FT	23N	24W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				454,763.22	4,057,616.34
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145					

REMARKS: 7.25 MI S OF CAPE FAIR**LOG ID:****017008**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1958/01/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,010FT
<u>DRILL DEPTH:</u>	440FT	23N	24W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				454,394.21	4,058,476.35
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	210					

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013667**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	964FT
<u>DRILL DEPTH:</u>	125FT	23N	24W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					454,421.14	4,065,470.38
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	JCT HWYS 148 & C	ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	54					

LOG ID:**019089**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/05/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	971FT
<u>DRILL DEPTH:</u>	460FT	23N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				454,328.23	4,056,248.35
<u>S.W.L. (BEFORE CASING):</u>	80	FT	<u>REMARKS:</u>	14 MI SW OF REEDS SPRING - formerly in name of Ted Friese	ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120	FT				

LOG ID:**019712**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	941FT
<u>DRILL DEPTH:</u>	415FT	23N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				454,528.23	4,056,046.34
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	10-FT SAMPLES	ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	33					

LOG ID:**019201**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/05/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	950FT
<u>DRILL DEPTH:</u>	197FT	23N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				454,428.23	4,056,349.35
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	5 MI S OF CAPE FAIR - formerly in name of Bill Stonecypher	ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016365**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	969FT
<u>DRILL DEPTH:</u>	245FT	23N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				454,328.23	4,056,248.35
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145					

REMARKS:**LOG ID:****016371**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/04/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	978FT
<u>DRILL DEPTH:</u>	285FT	23N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				454,528.23	4,056,248.34
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	115					

REMARKS: COTTER - JEFFERSON CITY CONTACT QUESTIONABLE**LOG ID:****015769**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/09/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	963FT
<u>DRILL DEPTH:</u>	345FT	23N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				454,528.23	4,056,147.34
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120					

REMARKS:**LOG ID:****018161**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	941FT
<u>DRILL DEPTH:</u>	265FT	23N	24W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				452,373.16	4,064,173.40
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80					

REMARKS: 2 MI SW OF CAPE FAIR



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027055**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

945FT

DRILL DEPTH:

480FT

23N

24W

9

DEPTH TO BED:

10FT

UTM XUTM Y

452,405.16

4,063,993.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

US Army COE - TWO CONFLICTING LOCATIONS WITHIN SECTION

S.W.L. (AFTER CASING):

4

LOG ID:**013610**WELL TYPE

Private Well

DRILL DATE:

1955/06/

TOWNSHIPRANGESECTIONELEVATION:

1,360FT

DRILL DEPTH:

673FT

24N

22W

18

DEPTH TO BED:

30FT

UTM XUTM Y

469,112.21

4,070,051.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ABT 1 MI N OF MOTHER'S CAFE @ REEDS SPRING JUNCTION

S.W.L. (AFTER CASING):

349

LOG ID:**024916**WELL TYPE

Private Well

DRILL DATE:

1967/03/29

TOWNSHIPRANGESECTIONELEVATION:

1,430FT

DRILL DEPTH:

595FT

24N

22W

19

DEPTH TO BED:

130FT

UTM XUTM Y

469,068.21

4,068,675.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

2 MI NE OF REEDS SPRING

S.W.L. (AFTER CASING):

380

LOG ID:**002427**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,425FT

DRILL DEPTH:

475FT

24N

22W

19

DEPTH TO BED:

30FT

UTM XUTM Y

467,868.21

4,068,675.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

@ REEDS SPRING JUNCTION

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004583**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,434FT
<u>DRILL DEPTH:</u>	500FT	24N	22W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				468,668.21	4,069,101.28
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ REEDS SPRING JUNCTION; VERY THIN COMPTON ?; DD = 150'			
<u>S.W.L. (AFTER CASING):</u>	325		??			

LOG ID:**011863**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,403FT
<u>DRILL DEPTH:</u>	868FT	24N	22W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	460FT				468,768.21	4,068,781.28
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ REEDS SPRG JCT.; OLD WELL DEEPENED 460-770, NO			
<u>S.W.L. (AFTER CASING):</u>	450		SAMPLES ABOVE 460'.			

LOG ID:**028771**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1986/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	705FT	24N	22W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				472,208.25	4,066,935.25
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	415	<u>REMARKS:</u>	UTMX = 472,248.74; UTM Y = 4,067,053.49. Northview is very thick.			
<u>S.W.L. (AFTER CASING):</u>	FT					

LOG ID:**020652**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/07/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,383FT
<u>DRILL DEPTH:</u>	510FT	24N	22W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				468,856.19	4,071,852.28
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	238					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011758**WELL TYPE

Private Well

DRILL DATE: 1950/06/24TOWNSHIPRANGESECTIONELEVATION:

1,340FT

DRILL DEPTH: 510FT

24N

22W

7

DEPTH TO BED: 75FTUTM XUTM Y

468,956.18

4,072,932.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ REEDS SPRING JUNCTIONS.W.L. (AFTER CASING): 290**LOG ID:****011830**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1951/11/10TOWNSHIPRANGESECTIONELEVATION:

1,350FT

DRILL DEPTH: 520FT

24N

22W

7

DEPTH TO BED: 40FTUTM XUTM Y

469,156.19

4,072,068.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: HOMER AND ALICE MARKHAMS.W.L. (AFTER CASING): 275**LOG ID:****012124**WELL TYPE

Private Well

DRILL DATE: 1952//TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 400FT

24N

23W

17

DEPTH TO BED: 25FTUTM XUTM Y

461,327.14

4,070,563.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: INCOMPLETE, MANY SKIPS; TOPS UNRELIABLE (IN SKIPS)S.W.L. (AFTER CASING):**LOG ID:****009225**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 920FT

24N

23W

19

DEPTH TO BED: 760FTUTM XUTM Y

458,928.14

4,068,659.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 760-920'.S.W.L. (AFTER CASING): 425



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003155**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1935/02/12TOWNSHIP

24N

RANGE

23W

SECTION

25

ELEVATION:DRILL DEPTH: 540FTUTM XUTM YDEPTH TO BED: 30FT

466,185.21

4,066,753.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: E.D. McCORMACK; IN REEDS SPRINGS.W.L. (AFTER CASING): 40**LOG ID:****020083**WELL TYPE

Community Public Well

DRILL DATE: 1961/07/TOWNSHIP

24N

RANGE

23W

SECTION

26

ELEVATION: 1,240FTDRILL DEPTH: 1,100FTUTM XUTM YDEPTH TO BED: 55FT

465,960.20

4,066,854.30

ZONE 15

S.W.L. (BEFORE CASING): 315 FTREMARKS:S.W.L. (AFTER CASING): 309 FT**LOG ID:****004582**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1937/08/TOWNSHIP

24N

RANGE

23W

SECTION

26

ELEVATION: 1,143FTDRILL DEPTH: 295FTUTM XUTM YDEPTH TO BED: 30FT

465,795.20

4,067,600.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MANY MISSING SAMPLESS.W.L. (AFTER CASING): 25**LOG ID:****011148**WELL TYPE

Community Public Well

DRILL DATE: 1949/11/TOWNSHIP

24N

RANGE

23W

SECTION

26

ELEVATION: 1,239FTDRILL DEPTH: 145FTUTM XUTM YDEPTH TO BED: 55FT

465,395.19

4,067,796.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL #1 - HOLE ABANDONED, MANY SAMPLES MISSINGS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011243**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1950/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	1,005FT	24N	23W	26		
<u>DEPTH TO BED:</u>	55FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	322	FT			465,995.20	4,067,404.30
<u>S.W.L. (AFTER CASING):</u>	316	FT			ZONE 15	

REMARKS:

LOG ID:**019425**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/11/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,312FT
<u>DRILL DEPTH:</u>	425FT	24N	23W	27		
<u>DEPTH TO BED:</u>	195FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			463,712.18	4,067,568.32
<u>S.W.L. (AFTER CASING):</u>	247				ZONE 15	

REMARKS: 7/8 MI N BY W OF REEDS SPRING; NOT LOCATED IN SECTION

LOG ID:**004042**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,181FT
<u>DRILL DEPTH:</u>	58FT	24N	23W	31		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					459,134.16	4,066,935.35
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: SECTION UNKNOWN

LOG ID:**028360**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1980/04/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,340FT
<u>DRILL DEPTH:</u>	705FT	24N	23W	34		
<u>DEPTH TO BED:</u>	170FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					464,366.20	4,066,470.31
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012125**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,374FT
<u>DRILL DEPTH:</u>	400FT	24N	23W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				463,766.20	4,065,282.31
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2 MI SW OF REEDS SPRING; POOR AND VERY INCOMPLETE; DO			
<u>S.W.L. (AFTER CASING):</u>			NOT USE			

LOG ID:**027598**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1975/05/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,350FT
<u>DRILL DEPTH:</u>	900FT	24N	23W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				465,858.21	4,065,406.29
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	360	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	340	FT				

LOG ID:**013363**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/11/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	455FT	24N	23W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				462,347.11	4,074,058.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	2.5 MI E OF GALENA		
<u>S.W.L. (AFTER CASING):</u>	270					

LOG ID:**013644**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,276FT
<u>DRILL DEPTH:</u>	410FT	24N	23W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	270FT				461,547.11	4,073,652.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	2.5 MI E OF GALENA ON HWY 44; NO SAMPLES LOGGED 0-270'.		
<u>S.W.L. (AFTER CASING):</u>	275					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003603**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1936/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,010FT
<u>DRILL DEPTH:</u>	854FT	24N	23W	7		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	73	FT			458,435.09	4,073,250.37
<u>S.W.L. (AFTER CASING):</u>	80	FT			ZONE 15	

REMARKS: REWORKED, WITH 300 GPM YIELD 3/1965, GERALD SILL.

LOG ID:**004653**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,009FT
<u>DRILL DEPTH:</u>	245FT	24N	24W	1		
<u>DEPTH TO BED:</u>	8FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					457,235.06	4,074,763.38
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: WELL FLOWS; NO SAMPLES BELOW 51'

LOG ID:**012471**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	959FT
<u>DRILL DEPTH:</u>	210FT	24N	24W	1		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			458,235.08	4,074,049.37
<u>S.W.L. (AFTER CASING):</u>	20				ZONE 15	

REMARKS: 0.5 MI N OF GALENA ON HWY 13

LOG ID:**020816**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1962/04/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,204FT
<u>DRILL DEPTH:</u>	1,301FT	24N	24W	12		
<u>DEPTH TO BED:</u>	50FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	240	FT			457,125.07	4,073,371.38
<u>S.W.L. (AFTER CASING):</u>	312	FT			ZONE 15	

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028968**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2003/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,080FT
<u>DRILL DEPTH:</u>	1,003FT	24N	24W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				455,543.08	4,071,632.39
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	170	<u>REMARKS:</u>	1 mile W then 1.5 miles S of Galena			

LOG ID:**015770**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1956/06/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,217FT
<u>DRILL DEPTH:</u>	410FT	24N	24W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				456,008.06	4,073,760.39
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	190					

LOG ID:**019142**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,064FT
<u>DRILL DEPTH:</u>	400FT	24N	24W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				453,643.13	4,067,289.39
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.5 MI N OF CAPE FAIR; POOR SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	120					

LOG ID:**018340**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	985FT
<u>DRILL DEPTH:</u>	205FT	24N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				454,327.14	4,066,272.38
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	0.5 MI N OF CAPE FAIR			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015768**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/09/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,030FT
<u>DRILL DEPTH:</u>	325FT	24N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				454,827.14	4,066,068.38
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	105					

REMARKS:**LOG ID:****005700**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/11/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,042FT
<u>DRILL DEPTH:</u>	97FT	25N	23W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				462,268.04	4,082,334.36
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	25					

REMARKS: E OF HURLEY - formerly in name of W.B. Burton**LOG ID:****012282**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/03/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,118FT
<u>DRILL DEPTH:</u>	630FT	25N	23W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	525FT				455,156.99	4,079,118.42
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	28					

REMARKS: 5 MI SE OF CRANE; NO SAMPLES ABOVE 525'.**LOG ID:****006044**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,039FT
<u>DRILL DEPTH:</u>	100FT	25N	23W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				459,170.04	4,078,131.38
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013643**WELL TYPE

Private Well

DRILL DATE: 1955/05/ TOWNSHIP 25N RANGE 23W SECTION 27 ELEVATION: 1,026FT
DRILL DEPTH: 230FT UTM X 460,187.07 UTM Y 4,076,909.37
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI E OF GALENA ON HWY 44, 3 MI N OF HWY 44 ON HORSE
S.W.L. (AFTER CASING): 48 CREEK

LOG ID:**014737**WELL TYPE

Private Well

DRILL DATE: 1956/01/ TOWNSHIP 25N RANGE 23W SECTION 28 ELEVATION: 1,061FT
DRILL DEPTH: 240FT UTM X 459,270.06 UTM Y 4,076,523.37
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 80

LOG ID:**011759**WELL TYPE

Private Well

DRILL DATE: 1950/09/19 TOWNSHIP 25N RANGE 23W SECTION 36 ELEVATION: 1,250FT
DRILL DEPTH: 325FT UTM X 463,294.11 UTM Y 4,075,371.33
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3.5 MI NE OF GALENA ON HWY 44
S.W.L. (AFTER CASING): 250

LOG ID:**006658**WELL TYPE

Private Well

DRILL DATE: 1941// TOWNSHIP 25N RANGE 23W SECTION 6 ELEVATION: 1,148FT
DRILL DEPTH: 160FT UTM X 455,235.94 UTM Y 4,083,971.43
DEPTH TO BED: 125FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR HURLEY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002971

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1934/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	150FT	25N	23W	8		
<u>DEPTH TO BED:</u>	35FT				<u>UTM X</u>	<u>UTM Y</u>
					458,208.99	4,082,763.40
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	HURLEY - FEE #1			
<u>S.W.L. (AFTER CASING):</u>	55					

LOG ID:
027759

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,079FT
<u>DRILL DEPTH:</u>	185FT	25N	24W	1		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
					454,310.94	4,083,825.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NO FORMATIONS PICKED, NO SAMPLES LOGGED			
<u>S.W.L. (AFTER CASING):</u>	9					

LOG ID:
007663

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1941/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,135FT
<u>DRILL DEPTH:</u>	131FT	25N	24W	10		
<u>DEPTH TO BED:</u>	90FT				<u>UTM X</u>	<u>UTM Y</u>
					450,776.95	4,081,747.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:
013366

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1954/05/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,313FT
<u>DRILL DEPTH:</u>	580FT	25N	24W	14		
<u>DEPTH TO BED:</u>	40FT				<u>UTM X</u>	<u>UTM Y</u>
					451,948.97	4,079,907.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3.5 MI S OF CRANE ON HWY 13			
<u>S.W.L. (AFTER CASING):</u>	230					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004571

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1937/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,242FT
<u>DRILL DEPTH:</u>	270FT	25N	24W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	205FT				453,386.93	4,084,175.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of W.G. Dycus - 3 MI E OF CRANE; OLD WELL			
<u>S.W.L. (AFTER CASING):</u>	200		DEEPENED 207-270			

LOG ID:
018147

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,302FT
<u>DRILL DEPTH:</u>	455FT	25N	24W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	300FT				450,367.91	4,084,660.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 300-455'; 5 5/8' HOLE AT BOTTOM			
<u>S.W.L. (AFTER CASING):</u>	240					

LOG ID:
003486

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,282FT
<u>DRILL DEPTH:</u>	100FT	25N	24W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				450,767.92	4,083,798.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of A.H. Mentzer			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
028938

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	2002/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,300FT
<u>DRILL DEPTH:</u>	567FT	25N	24W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					452,400.03	4,075,161.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	230	<u>REMARKS:</u>	Bill Crabb, owner			
<u>S.W.L. (AFTER CASING):</u>	FT					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007838**WELL TYPE

Community Public Well

DRILL DATE: 1942/07/11TOWNSHIP

25N

RANGE

24W

SECTION

4

ELEVATION:

1,129FT

DRILL DEPTH: 1,120FTDEPTH TO BED: 25FTUTM X

448,949.90

UTM Y

4,084,466.50

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 16**LOG ID:****002259**WELL TYPE

Private Well

DRILL DATE: 1929/00/00TOWNSHIP

25N

RANGE

24W

SECTION

9

ELEVATION:

1,231FT

DRILL DEPTH: 140FTDEPTH TO BED: 65FTUTM X

448,829.93

UTM Y

4,082,483.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028500**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP

26N

RANGE

22W

SECTION

4

ELEVATION:

1,200FT

DRILL DEPTH: 1,798FTDEPTH TO BED: 20FTUTM X

469,735.05

UTM Y

4,093,504.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006791**WELL TYPE

Private Well

DRILL DATE: 1941/02/TOWNSHIP

26N

RANGE

22W

SECTION

9

ELEVATION:

1,100FT

DRILL DEPTH: 350FTDEPTH TO BED: 60FTUTM X

468,791.05

UTM Y

4,091,352.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010719

WELL TYPE
Private Well

DRILL DATE: 1948/11/05 TOWNSHIP 26N RANGE 23W SECTION 13 ELEVATION: 1,132FT
DRILL DEPTH: 190FT UTM X 464,858.01 UTM Y 4,090,007.35
DEPTH TO BED: 12FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 7 MI NE OF HURLEY
S.W.L. (AFTER CASING): 26

LOG ID:
010716

WELL TYPE
Private Well

DRILL DATE: 1948/12/18 TOWNSHIP 26N RANGE 23W SECTION 14 ELEVATION: 1,277FT
DRILL DEPTH: 400FT UTM X 462,047.97 UTM Y 4,089,414.38
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 6 MI NE OF HURLEY
S.W.L. (AFTER CASING): 140

LOG ID:
015865

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/03/00 TOWNSHIP 26N RANGE 23W SECTION 18 ELEVATION: 1,237FT
DRILL DEPTH: 100FT UTM X 456,764.88 UTM Y 4,090,937.44
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
015721

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/02/ TOWNSHIP 26N RANGE 23W SECTION 18 ELEVATION: 1,276FT
DRILL DEPTH: 40FT UTM X 456,764.89 UTM Y 4,090,737.44
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015720**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1957/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,276FT
<u>DRILL DEPTH:</u>	45FT	26N	23W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					456,764.89	4,090,737.44
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	

LOG ID:**011503**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/11/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,353FT
<u>DRILL DEPTH:</u>	735FT	26N	23W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	545FT				458,554.93	4,088,683.41
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> NEAR HURLEY; NO SAMPLES TO 545, 550-715; VERY INCOMPLETE	

LOG ID:**010744**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/01/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,270FT
<u>DRILL DEPTH:</u>	276FT	26N	23W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				462,803.00	4,087,810.36
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135				<u>REMARKS:</u> 5 MI E OF HURLEY	

LOG ID:**012273**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952/08/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,240FT
<u>DRILL DEPTH:</u>	285FT	26N	23W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				464,217.01	4,089,001.35
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	140				<u>REMARKS:</u> ABT 7 MI NE OF HURLEY	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028781

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1983/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,320FT
<u>DRILL DEPTH:</u>	707FT	26N	23W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	26FT				460,223.90	4,094,167.41
<u>S.W.L. (BEFORE CASING):</u>	175				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	FT	<u>REMARKS:</u> 1.5 mi south of Clever, 1 mi east.				

LOG ID:
028783

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1991/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,245FT
<u>DRILL DEPTH:</u>	590FT	26N	23W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				456,393.92	4,087,429.43
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> UTMX = 456,397.3; UTM Y = 4,087,067.8				

LOG ID:
005145

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,092FT
<u>DRILL DEPTH:</u>	58FT	26N	23W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				455,693.91	4,087,329.44
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> IN HURLEY				

LOG ID:
005146

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,112FT
<u>DRILL DEPTH:</u>	95FT	26N	23W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				455,893.91	4,087,329.44
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> @ HURLEY				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006260**WELL TYPE

Private Well

DRILL DATE: 1940// TOWNSHIP 26N RANGE 23W SECTION 30 ELEVATION: 1,138FT
DRILL DEPTH: 91FT UTM X 456,493.92 UTM Y 4,087,229.43
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ HURLEY
S.W.L. (AFTER CASING):

LOG ID:**006357**WELL TYPE

Private Well

DRILL DATE: 1940// TOWNSHIP 26N RANGE 24W SECTION 12 ELEVATION: 1,148FT
DRILL DEPTH: 77FT UTM X 454,616.85 UTM Y 4,092,004.46
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ BROWN SPRINGS
S.W.L. (AFTER CASING):

LOG ID:**004781**WELL TYPE

Private Well

DRILL DATE: 1940/05/ TOWNSHIP 26N RANGE 24W SECTION 18 ELEVATION: 1,363FT
DRILL DEPTH: 106FT UTM X 447,142.80 UTM Y 4,091,192.53
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI NW OF CRANE; OLD WELL DEEPENED 74-106'.
S.W.L. (AFTER CASING): 68

LOG ID:**004000**WELL TYPE

Private Well

DRILL DATE: 1936/12/ TOWNSHIP 26N RANGE 24W SECTION 20 ELEVATION: 1,355FT
DRILL DEPTH: 277FT UTM X 448,196.83 UTM Y 4,089,250.52
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004156

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1937/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,337FT
<u>DRILL DEPTH:</u>	233FT	26N	24W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				447,296.82	4,089,556.53
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	132					

LOG ID:
005823

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,349FT
<u>DRILL DEPTH:</u>	240FT	26N	24W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				448,696.84	4,088,740.51
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> 3 MI N OF CRANE ON HWY 13			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
010717

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/10/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,273FT
<u>DRILL DEPTH:</u>	232FT	26N	24W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				448,096.84	4,088,536.52
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 2.5 MI NW OF HURLEY			
<u>S.W.L. (AFTER CASING):</u>	217					

LOG ID:
021703

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,370FT
<u>DRILL DEPTH:</u>	650FT	26N	24W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	340FT				449,596.84	4,089,207.50
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> OLD WELL DEEPENED (SEE LOG #11504)			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011504**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,370FT
<u>DRILL DEPTH:</u>	650FT	26N	24W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	340FT				449,496.84	4,089,107.50
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL DEEPENED (#21703) 455-650; SAMPLES FROM 340-380,			
<u>S.W.L. (AFTER CASING):</u>			455-650.			

LOG ID:**010665**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/05/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,335FT
<u>DRILL DEPTH:</u>	590FT	26N	24W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	240FT				452,131.87	4,088,214.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL TO 240'			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**005074**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,243FT
<u>DRILL DEPTH:</u>	226FT	26N	24W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				453,737.87	4,089,190.46
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.5 MI NW OF HURLEY			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**006171**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	75FT	26N	24W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				454,101.89	4,087,374.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.5 MI NW OF HURLEY			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006657**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,214FT
<u>DRILL DEPTH:</u>	75FT	26N	24W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				454,101.90	4,087,172.45
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50	<u>REMARKS:</u>	1 MI W OF HURLEY			

LOG ID:**013362**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/08/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,280FT
<u>DRILL DEPTH:</u>	365FT	26N	24W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				450,963.88	4,086,953.48
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190	<u>REMARKS:</u>	2 MI N OF CRANE, 1.25 MI E ON RT A			

LOG ID:**004570**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,281FT
<u>DRILL DEPTH:</u>	305FT	26N	24W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				450,863.88	4,087,056.49
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	240	<u>REMARKS:</u>	2 MI N OF CRANE, 1.25 MI E ON HURLEY HIWAY			

LOG ID:**018171**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/01/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,156FT
<u>DRILL DEPTH:</u>	415FT	26N	24W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				448,604.89	4,085,310.50
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40	<u>REMARKS:</u>	0.5 MI N OF CRANE ON HWY 13			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026094**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1969/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,242FT
<u>DRILL DEPTH:</u>	1,660FT	26N	24W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				449,206.90	4,085,052.50
<u>S.W.L. (BEFORE CASING):</u>	126	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	147	FT				
<u>REMARKS:</u> OLD WELL DEEPENED (SEE LOG #2108)						

LOG ID:**004659**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1938/03/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,210FT
<u>DRILL DEPTH:</u>	118FT	26N	24W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					449,218.88	4,085,881.50
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	110					
<u>REMARKS:</u> 1 MI N OF CRANE						

LOG ID:**002108**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1926/06/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,257FT
<u>DRILL DEPTH:</u>		26N	24W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					449,518.89	4,085,581.50
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u> OLD WELL DEEPENED (SEE LOG #2108)						

LOG ID:**022614**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,364FT
<u>DRILL DEPTH:</u>	565FT	26N	24W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	325FT				448,785.81	4,091,351.52
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u> VERY FEW SAMPLES; 340, 490, 530-565' ONLY.						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011339**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1950//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,378FT
<u>DRILL DEPTH:</u>	155FT	26N	24W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				448,785.80	4,091,761.52
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	102					

REMARKS:**LOG ID:****003136**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1934/11/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,399FT
<u>DRILL DEPTH:</u>	140FT	26N	24W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				449,193.79	4,092,736.52
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: @ CRANE**STONE**